


带退卸套系列



型号		轴	外形尺寸				额定负荷		极限速度		尺寸				计算系数				重量[kg]	
轴承	退卸衬套	φd1	d	D	B	r1,r2 min	动负 荷	静负 荷	脂润 滑	油润 滑	B1	B2	C	G	e	Y1	Y2	Yo	轴承	退卸 衬套
22208CK	AH308	35	40	80	23	1.1	88	98	6000	7500	29	32	6	M45×1.5	0.28	2.4	3.6	2.3	0.58	0.09
21308CK	AH308	35	40	90	23	1.5	91.5	100	4500	5600	29	32	6	M45×1.5	0.26	2.6	3.9	2.6	0.8	0.09
22308CK	AH2308	35	40	90	33	1.5	129	143	4300	5300	40	43	7	M45×1.5	0.36	1.9	2.8	1.8	1.1	0.13
22209CK	AH309	40	45	85	23	1.1	93	105	5600	7000	31	34	6	M50×1.5	0.26	2.6	3.9	2.6	0.65	0.12
21309CK	AH309	40	45	100	25	1.5	108	120	4000	5300	31	34	6	M50×1.5	0.26	2.6	3.9	2.6	1.06	0.12
22309CK	AH2309	40	45	100	36	1.5	156	1760	3800	4800	44	47	7	M55×2	0.36	1.9	2.8	1.9	1.4	0.13
22210CK	AHX310	45	50	90	23	1.1	98	114	4000	5300	35	38	7	M55×2	0.24	2.8	4.2	2.8	0.72	0.13
21310CK	AHX310	45	50	110	27	2	120	130	3600	4800	35	38	7	M55×2	0.24	2.8	4.1	2.7	1.35	0.13
22310CK	AHX2310	45	50	110	40	2	190	216	3400	4300	50	53	9	M55×2	0.36	1.9	2.8	1.8	1.96	0.19
22211CK	AHX311	50	55	100	25	1.5	120	140	3800	5000	37	40	7	M60×2	0.23	2.9	4.4	2.9	0.96	0.16
21311CK	AHX311	50	55	120	29	2	135	155	3200	4300	37	40	7	M60×2	0.24	2.8	4.1	2.7	1.71	0.16
22311CK	AHX2311	50	55	120	43	2	224	255	3000	4000	54	57	10	M60×2	0.36	1.9	2.8	1.8	2.47	0.26
22212CK	AHX312	55	60	110	28	1.5	145	175	3400	4500	40	43	8	M65×2	0.24	2.8	4.2	2.8	1.25	0.19
21312CK	AHX312	55	60	130	31	2	150	180	3000	4000	40	43	8	M65×2	0.24	2.9	4.3	2.8	2.12	0.19
22312CK	AHX2312	55	60	130	46	2	260	300	2800	3600	58	61	11	M65×2	0.34	1.9	2.8	1.9	3.09	0.3
22213CK	AH313	60	65	120	31	1.5	170	204	3000	4000	42	45	8	M75×2	0.23	2.8	4.2	2.8	1.69	0.25
21313CK	AH313	60	65	140	33	2.1	196	228	2800	3800	42	45	8	M75×2	0.23	2.8	4.2	2.8	2.67	0.25
22313CK	AH2313	60	65	140	48	2.1	290	355	2600	3400	61	64	12	M75×2	0.34	2	3	2	3.8	0.39
22214CK	AH314	65	70	125	31	1.5	179	225	3600	4500	43	47	8	M80×2	0.22	2.9	4.4	2.9	1.8	0.28
21314CK	AH314	65	70	150	35	2.1	207	360	2600	3400	43	47	8	M80×2	0.23	2.9	4.4	2.9	3.23	0.28
22314CK	AHX2314	65	70	150	51	2.1	325	375	2200	3000	64	68	12	M80×2	0.34	2	3	2	4.53	0.46
22215CK	AH315	70	75	130	31	1.5	183	236	2800	3800	45	49	8	M85×2	0.22	3.1	4.6	3	1.92	0.31
21315CK	AH315	70	75	160	37	2.1	250	305	2400	3200	45	49	8	M85×2	0.23	2.9	4.4	2.9	3.86	0.31
22315CK	AHX2315	70	75	160	55	2.1	375	440	2200	3000	68	72	12	M85×2	0.34	2	3	1.9	5.52	0.53
22216CK	AH316	75	80	140	33	2	208	260	2600	3400	48	52	8	M90×2	0.22	3.1	4.7	3.1	2.34	0.37
21316CK	AH316	75	80	170	39	2.1	275	340	2200	3000	48	52	8	M90×2	0.23	2.9	4.4	2.9	4.6	0.37
22316CK	AHX2316	75	80	170	58	2.1	410	500	1800	2400	71	75	12	M90×2	0.34	2	3	1.9	6.53	0.6

带退卸套系列

22217CK	AHX317	80	85	150	36	2	250	325	2400	3200	52	56	9	M95×2	0.22	3	4.5	3	2.9	0.43
21317CK	AHX317	80	85	180	41	3	305	375	2200	2800	52	56	9	M95×2	0.22	3	4.5	2.9	5.33	0.43
22317CK	AHX2317	80	85	180	60	3	455	540	1800	2400	74	78	13	M95×2	0.33	2	3	2	7.48	0.65
22218CK	AHX318	85	90	160	40	2	285	360	2200	3000	53	57	9	M100×2	0.23	2.9	4.3	2.8	3.64	0.46
23218CK	AHX2318	85	90	160	52.4	2	340	485	2200	3000	63	67	10	M100×2	0.31	2.2	3.3	2.2	4.85	0.57
21318CK	AHX318	85	90	190	43	3	335	415	2200	2800	53	57	9	M100×2	0.22	3	4.5	2.9	6.2	0.46
22318CK	AH2318	85	90	190	64	3	510	620	1800	2400	79	83	14	M100×2	0.33	2	3	2	8.83	0.76
22219CK	AHX319	90	95	170	43	2.1	315	400	2200	2800	57	61	10	M105×2	0.24	2.9	4.3	2.8	4.39	0.54
21319CK	AHX319	90	95	200	45	3	360	450	2000	2600	57	61	10	M105×2	0.22	3	4.5	3	7.16	0.54
22319CK	AHX2319	90	95	200	67	3	580	700	1700	2200	85	89	16	M105×2	0.33	2	3	2	10.2	0.9
23120K.MB	AHX3120	95	100	165	52	2	355	540	2000	3000	64	68	11	M110×2	0.28	2.4	3.5	2.3	4.87	0.66
22220CK	AHX320	95	100	180	46	2.1	360	465	2200	2800	59	63	10	M110×2	0.24	2.8	4.3	2.8	5.27	0.58
23220CK	AHX2320	95	100	180	60.3	2.1	465	655	1700	2200	73	77	11	M110×2	0.31	2.2	3.3	2.1	7.06	0.76
22320CK	AHX2320	95	100	215	73	3	655	815	1500	2000	90	94	16	M110×2	0.34	2	3	2	13	1
23122K.MB	AHX3122	105	110	180	56	2	410	640	1800	2400	68	72	11	M120×2	0.28	2.4	3.6	2.3	6.07	0.76
24122CK30	AH24122	105	110	180	69	2	520	880	1200	1600	82	91	13	M115×2	0.35	1.9	2.9	1.9	7.65	0.73
22222CK	AHX3122	105	110	200	53	2.1	455	585	2000	2800	68	72	11	M120×2	0.25	2.7	4	2.7	7.46	0.76
23222CK	AHX3222	105	110	200	69.8	2.1	620	850	1400	1800	82	86	11	M120×2	0.33	2.1	3.1	2	10.1	0.88
22322K.MB	AHX2322	105	110	240	80	3	800	1060	1400	1900	98	102	16	M125×2	0.33	2.1	3.1	2	18.4	1.35
23024CK	AHX3024	115	120	180	46	2	360	570	2200	3000	60	64	13	M130×2	0.22	3	4.5	3	4.61	0.75
24024CK30	AH24024	115	120	180	60	2	455	800	1500	2000	73	82	13	M125×2	0.29	2.3	3.4	2.3	5.85	0.65
23124K.MB	AHX3124	115	120	200	62	2	495	770	1700	2200	75	79	12	M130×2	0.28	2.4	3.6	2.3	8.33	0.94
24124CK30	AH24124	115	120	200	80	2	630	1050	1000	1300	93	102	13	M130×2	0.37	1.8	2.7	1.8	11	1
22224CK	AHX3124	115	120	215	58	2.1	540	720	1700	2200	75	79	12	M125×2	0.25	2.7	4	2.7	9.39	0.94
23224CK	AHX3224	115	120	215	76	2.1	680	1000	1300	1700	90	94	13	M135×2	0.33	2	3	2	12.5	1.11
22324K.MB	AHX2324	115	120	260	86	3	900	1400	1300	1700	105	109	17	M135×2	0.33	2.1	3.1	2	22.6	1.65
23026CK	AHX3026	125	130	200	52	2	455	720	1900	2600	67	71	14	M140×2	0.23	2.9	4.4	2.9	6.54	0.93
24026CK30	AH24026	125	130	200	69	2	530	900	1200	1600	83	93	14	M135×2	0.31	2.2	3.3	2.2	8.56	0.84
23126K.MB	AHX3126	125	130	210	64	2	540	860	1500	2000	78	82	12	M140×2	0.28	2.4	3.6	2.4	9.19	1.1
24126CK30	AH24126	125	130	210	80	2	650	1100	900	1200	94	104	14	M140×2	0.34	2	2.9	1.9	11.7	1.11
22226CK	AHX3126	125	130	230	64	3	630	880	1700	2200	78	82	12	M140×2	0.26	2.6	3.9	2.6	11.6	1.1
23226CK	AHX3226	125	130	230	80	3	765	1140	1300	1700	98	102	15	M145×2	0.33	2.1	3.1	2	15	1.55
22326K.MB	AHX2326	125	130	280	93	4	1040	1340	1200	1600	115	119	19	M1452×	0.33	2.1	3.1	2	28	2
23028CK	AHX3028	135	140	210	53	2	480	780	1900	2600	68	73	14	M150×2	0.22	3.1	4.6	3	7.05	1
24028CK30	AH24028	135	140	210	69	2	550	990	1100	1500	83	93	14	M145×2	0.29	2.3	3.5	2.3	9.06	0.95
23128K.MB	AHX3128	135	140	225	68	2.1	600	990	1400	1800	83	88	14	M150×2	0.27	2.5	3.7	2.4	11.1	1.3
24128CK30	AH24128	135	140	225	85	2.1	740	1380	1100	1500	99	109	14	M150×2	0.34	2	2.9	1.9	14.1	1.3
22228CK	AHX3128	135	140	250	68	3	730	1080	1400	1900	83	88	14	M150×2	0.25	2.7	4	2.6	14.7	1.3
23228CK	AHX3228	135	140	250	88	3	915	1370	1100	1400	104	109	15	M155×3	0.33	2	3	2	19.5	1.85
22328K.MB	AHX2328	135	140	300	102	4	1220	1600	1100	1400	125	130	20	M155×3	0.34	2	3	2	35.1	2.35
23030CK	AHX3030	145	150	225	56	2.1	530	865	1800	2400	72	77	15	M160×3	0.22	3.1	4.6	3	8.48	1.15
24030CK30	AH24030	145	150	225	75	2.1	620	1140	1300	1700	90	101	15	M155×3	0.29	2.3	3.5	2.3	11.2	1.05
23130K.MB	AHX3130	145	150	250	80	2.1	800	1320	1300	1700	96	101	15	M165×3	0.29	2.3	3.5	2.3	16.8	1.8
24130CK30	AH24130	145	150	250	100	2.1	915	1560	1100	1500	115	126	15	M160×3	0.4	1.7	2.5	1.6	21.5	1.55
22230CK	AHX3130	145	150	270	73	3	850	1200	1400	1800	96	101	15	M165×3	0.25	2.7	3.4	2.6	18.7	1.8
23230CK	AHX3230	145	150	270	96	3	1030	1610	1000	1300	114	119	17	M165×3	0.33	2	3	2	25	2.2
22330K.MB	AHX2330	145	150	320	108	4	1370	1830	1100	1500	135	140	24	M165×3	0.33	2	3	2	42.1	2.8

带退卸套系列

23032CK	AH3032	150	160	240	60	2.1	600	1000	1600	2000	77	82	16	M170×3	0.22	3.1	4.6	3	11	2.05
24032CK30	AH24032	150	160	240	80	2.1	720	1320	1000	1300	95	106	15	M170×3	0.29	2.3	3.4	2.3	14.6	2.3
23132K.MB	AH3132	150	160	270	86	2.1	930	1510	1200	1600	103	108	16	M180×3	0.29	2.3	3.5	2.3	22	2.87
24132CK30	AH24132	150	160	270	109	2.1	1060	1800	1000	1400	124	135	15	M170×3	0.41	1.7	2.5	1.6	28.4	3.05
22232CK	AH3132	150	160	290	80	3	965	1370	1300	1700	103	108	16	M180×3	0.26	2.6	3.9	2.6	24.6	2.87
23232CK	AH3232	150	160	290	104	3	1180	1830	1200	1600	124	130	20	M180×3	0.34	2	3	2	33.9	4
22332K.MB	AH2332	150	160	340	114	4	1430	1900	1000	1300	140	146	24	M180×3	0.37	1.8	2.7	1.8	55.8	4.72
23034CK	AH3034	160	170	260	67	2.1	735	1200	1500	1900	85	90	17	M180×3	0.23	3	4.4	2.9	14.5	2.4
24034K30.MB	AH24034	160	170	260	90	2.1	850	1560	1000	1300	106	117	16	M180×3	0.34	2	3	2	20.6	2.7
23134K.MB	AH3134	160	170	280	88	2.1	990	1650	1100	1500	104	109	16	M190×3	0.28	2.4	3.5	2.3	23.6	3.04
24134CK30	AH24134	160	170	280	109	2.1	1060	1830	750	1000	125	136	16	M180×3	0.39	1.7	2.6	1.7	29.6	3.25
22234CK	AH334	160	170	310	86	4	1100	1530	1200	1600	104	109	16	M190×3	0.26	2.6	3.9	2.5	29.2	3.04
23234CK	AH2334	160	170	310	110	4	1370	2120	1100	1500	134	140	24	M190×3	0.33	2	3	2	39.7	4.8
22334K.MB	AH2334	160	170	360	120	4	1600	2120	900	1200	146	152	24	M190×3	0.37	1.8	2.7	1.8	65	5.25
23036CK	AH3036	170	180	280	74	2.1	865	1430	1400	1800	92	98	17	M190×3	0.23	2.9	4.3	2.8	18.6	2.8
24036K30.MB	AH24036	170	180	280	100	2.1	1000	1830	900	1200	116	127	16	M190×3	0.36	1.9	2.8	1.9	26.5	3.2
23136CK	AH3136	170	180	300	96	3	1160	1930	1100	1400	116	122	19	M200×3	0.29	2.3	3.5	2.3	29.7	3.76
24136CK30	AH24136	170	180	300	118	3	1250	2200	700	950	134	145	16	M190×3	0.4	1.7	2.5	1.6	37.5	3.68
22236CK	AH2236	170	180	320	86	4	1010	1560	1100	1500	105	110	17	M200×3	0.26	2.6	3.9	2.5	37.5	5.25
23236CK	AH3236	170	180	320	112	4	1420	2320	1100	1500	140	146	25	M200×3	0.33	2.1	3.1	2	42.6	5.32
22336K.MB	AH2336	170	180	380	126	4	1760	2360	850	1100	154	160	26	M200×3	0.7	1.8	2.7	1.8	75.2	5.83
23038CK	AH3038	180	190	290	75	2.1	915	1530	1300	1700	96	102	18	Tr205×4	0.23	3	4.4	2.9	20.1	3.32
24038K.30MB	AH24038	180	190	290	100	2.1	1040	1960	850	1100	118	131	18	M200×3	0.34	2	3	2	28	3.55
23138K.MB	AH3138	180	190	320	104	3	1320	2200	1100	1400	125	131	20	Tr210×4	0.3	2.3	3.4	2.2	37.5	4.9
24138CK30	AH24138	180	190	320	128	3	1400	2500	670	900	146	159	18	M200×3	0.41	1.7	2.5	1.6	46.2	4.28
22238CK	AH2238	180	190	340	92	4	1200	1830	1100	1400	112	117	18	Tr210×4	0.26	2.6	3.9	2.5	35.5	4.25
23238CK	AH3238	180	190	340	120	4	1750	2880	850	1100	145	152	25	Tr210×4	0.36	1.9	2.8	1.8	53.9	5.9
22338K.MB	AH2338	180	190	400	132	5	1860	2500	750	1000	160	167	26	Tr210×4	0.37	1.8	2.7	1.8	87.8	6.63
23040CK	AH3040	190	200	310	82	2.1	1060	1760	1300	1700	102	108	19	Tr215×4	0.23	2.9	4.3	2.8	25.3	3.85
24040K30	AH24040	190	200	310	109	2.1	1400	2280	850	1100	127	140	18	Tr210×4	0.35	1.9	2.9	1.9	35.2	4
24140K.MB	AH3140	190	200	340	112	3	1320	2280	900	1400	134	140	21	Tr220×4	0.35	2	2.9	1.9	48.2	5.49
24140CK30	AH24140	190	200	340	140	3	1700	3000	800	1000	158	171	18	Tr210×4	0.42	1.6	2.4	1.6	57.6	5.05
22240CK	AH2240	190	200	360	98	4	1250	1930	1100	1400	118	223	19	Tr220×4	0.26	2.6	3.9	2.5	42.5	4.7
23240CK	AH3240	190	200	360	128	4	1620	2590	750	1000	153	160	24	Tr220×4	0.37	1.8	2.7	1.8	64.3	6.6
22340K.MB	AH2340	190	200	420	138	5	1910	2750	670	900	170	177	30	Tr220×4	0.36	1.9	2.8	1.8	99.3	7.6
23044K.MB	AH3044	200	220	340	90	3	1100	2000	900	1200	111	117	20	Tr235×4	0.26	2.6	3.8	2.5	38.4	7.4
24044K30	AH24044	200	220	340	118	3	1370	2600	750	950	138	152	20	Tr230×4	0.34	2	2.9	1.9	49	8.2
24144K30	AH24144	200	220	370	150	4	1800	3300	700	900	170	184	20	Tr230×4	0.41	1.6	2.4	1.6	75.5	10
23144K.MB	AH3144	200	220	370	120	4	1515	2509	800	1000	145	151	23	Tr240×4	0.33	2	3	2	64.8	10.4
22244CK	AH3144	200	220	400	108	4	1520	2300	900	1200	145	151	23	Tr240×4	0.27	2.5	3.7	2.5	59	9.3
23244CK	AH2344	200	220	400	144	4	2040	3380	670	900	181	189	30	Tr240×4	0.37	1.8	2.7	1.8	95	13.5
22344CK	AH2344	200	220	460	145	5	2320	3350	700	900	181	189	30	Tr240×4	0.35	2	2.9	1.9	133	13.5
23048CK.MB	AH3048	220	240	360	92	3	1160	2200	800	1000	116	123	21	Tr260×4	0.25	2.7	4.1	2.7	42.7	8.75
24048K30	AH24048	220	240	360	118	3	1460	2841	700	900	138	153	20	Tr250×4	0.32	2.1	3.1	2.1	52.6	9
24148K30	AH24148	220	240	400	160	4	1780	3109	530	700	180	195	20	Tr260×4	0.41	1.7	2.5	1.6	93.1	12.5
23148K.MB	AH3148	220	240	400	128	4	1705	2863	750	950	154	161	25	Tr260×4	0.33	2.1	3.1	2	78.4	12
22248CK	AH3148	220	240	440	120	4	1845	2763	850	1100	154	161	25	Tr260×4	0.27	2.5	3.7	2.5	82.5	12

带退卸套系列

23248CK	AH2348	220	240	440	160	4	2450	4250	630	850	189	197	30	Tr260×4	0.37	1.8	2.7	1.8	125	15.5
22348K.MB	AH2348	220	240	500	155	5	2650	3900	560	750	189	197	30	Tr260×4	0.35	2	2.9	1.9	169	15.5
23052K.MB	AH3052	240	260	400	104	4	1500	2800	750	950	128	135	23	Tr280×4	0.26	2.6	3.9	2.6	59.7	10.7
24052K30	AH24052	240	260	400	140	4	1775	3494	600	800	162	178	22	Tr270×4	0.35	1.9	2.9	1.9	77.8	11.8
24152K30	AH24152	240	260	400	180	4	2500	5000	480	630	202	218	22	Tr280×4	0.42	1.6	2.4	1.6	129	15.4
23152K.MB	AH3152	240	260	400	144	4	2153	3673	670	850	172	179	26	Tr290×4	0.33	2	3	2	109	16
22252K.MB	AH2252	240	260	480	130	5	2190	3300	750	1000	155	179	26	Tr290×4	0.27	2.5	3.7	2.5	105	12.5
22352CK	AH2352	240	260	540	165	6	3000	4400	600	750	205	213	30	Tr290×4	0.34	2	3	2	205	19.6
23056K.MB	AH3056	260	280	420	106	4	1560	3000	700	900	131	139	24	Tr300×4	0.25	2.7	4.1	2.7	64.5	12
24056K30	AH24056	260	280	420	140	4	2000	4000	560	750	162	179	22	Tr290×4	0.33	2	3	2	83.1	12.8
23156K.MB	AH3156	260	280	460	146	5	2295	4050	530	800	175	183	28	Tr310×5	0.32	2.1	3.2	2.1	117	17.5
24156K30	AH24156	260	280	460	180	5	2635	4848	630	530	202	219	22	Tr300×4	0.39	1.7	2.5	1.7	134	16.3
23256K.MB	AH2356	260	280	500	176	5	2806	4645	400	630	212	220	30	Tr310×5	0.33	1.9	2.8	1.8	174	21.6
22356CK	AH2356	260	280	580	175	6	3530	5208	480	670	212	220	30	Tr310×5	0.33	2	3	2	254	21.6
23060K.MB	AH3060	280	300	460	118	4	1960	3650	530	800	145	153	26	Tr320×5	0.25	2.7	4	2.6	88	14.4
24060K30	AH24060	280	300	460	160	4	2385	4702	630	700	184	202	24	Tr310×5	0.35	2	2.9	1.9	116	15.5
23160K.MB	AH3160	280	300	500	160	5	2635	4485	560	750	192	200	30	Tr330×5	0.33	2.1	3.1	2	151	20.8
24160K30	AH24160	280	300	500	200	5	3213	6011	600	560	224	242	24	Tr320×5	0.4	1.7	2.5	1.6	179	19.5
23064K.MB	AH3064	300	320	480	121	4	2040	4000	430	750	149	157	27	Tr345×5	0.25	2.7	4.1	2.7	96	16
24064K30	AH24064	300	320	480	160	4	2500	5240	600	670	184	202	24	Tr340×5	0.33	2.1	3.1	2	123	16.6
23164K.MB	AH3164	300	320	540	176	5	3115	6000	530	670	209	217	31	Tr350×5	0.34	2	2.9	1.9	196	24.5
24164K30	AH24164	300	320	540	218	5	3750	7300	530	530	242	260	24	Tr340×5	0.41	1.7	2.5	1.6	225	21.4
23264K.MB	AH3264	300	320	580	208	5	3900	6950	400	560	246	254	36	Tr350×5	0.37	1.8	2.7	1.8	278	30.6
23068K.MB	AH3068	320	340	520	133	5	2360	4500	430	700	262	171	28	Tr365×5	0.25	2.7	4	2.6	125	19.5
24068K30	AH24068	320	340	520	180	5	3100	6550	560	600	206	225	26	Tr360×5	0.34	2	2.9	1.9	165	21.7
23168K.MB	AH3168	320	340	580	190	5	3605	6409	480	530	225	234	33	Tr370×5	0.34	2	2.9	1.9	245	29
24168K30	AH24168	320	340	580	243	5	4400	8500	450	560	269	288	26	Tr360×5	0.43	1.6	2.3	1.5	293	27.1
23072K.MB	AH3072	340	360	540	134	5	2450	4800	530	670	167	176	30	Tr385×5	0.25	2.7	4.1	2.7	132	21
24072K30	AH24072	340	360	540	180	5	3110	6530	480	630	206	226	26	Tr380×5	0.31	2.2	3.3	2.2	140	20.2
23172K.MB	AH3172	340	360	600	192	5	3740	7010	480	600	229	238	35	Tr400×5	0.33	2.1	3.1	2	261	33
24172K30	AH24172	340	360	600	243	5	4500	9000	430	530	269	289	26	Tr380×5	0.41	1.6	2.4	1.6	308	29.6
23272K.MB	AH3272	340	360	650	232	6	4880	8490	430	560	274	283	40	Tr400×5	0.38	1.8	2.7	1.7	389	41.5
23076K.MB	AH3076	360	380	560	135	5	2550	5300	500	630	170	180	31	Tr410×5	0.24	2.8	4.2	2.8	140	23.5
24076K30	AH24076	360	380	560	180	5	3150	6710	450	600	208	228	28	Tr400×5	0.3	2.3	3.4	2.2	145	23.5
23176K.MB	AH3176	360	380	620	194	5	3740	7540	450	560	232	242	36	Tr420×5	0.32	2.1	3.2	2.1	278	36
24176K.MB	AH24176	360	380	620	243	5	4650	9500	400	500	271	291	28	Tr430×5	0.39	1.7	2.5	1.7	321	31
23276K.MB	AH3276	360	380	680	240	6	5050	9660	400	530	284	294	42	Tr420×5	0.37	1.8	2.7	1.8	436	45.5
23080K.MB	AH3080	380	400	600	148	5	3050	6200	450	560	183	193	33	Tr430×5	0.24	2.8	4.4	2.7	179	27
24020	AH24080	380	400	600	200	5	3610	7545	430	460	228	248	28	Tr420×5	0.3	2.3	3.4	2.2	200	27
23180K.MB	AH3180	380	400	650	200	6	4100	7730	430	530	240	250	38	Tr440×5	0.31	2.2	3.2	2.1	310	39
24180K30	AH24180	380	400	650	250	6	5100	10400	380	480	278	298	28	Tr420×5	0.39	1.7	2.6	1.7	360	35
23280K.MB	AH3280	380	400	720	256	6	5700	10800	380	500	302	312	44	Tr440×5	0.38	1.8	2.7	1.7	517	51.5
23084K.MB	AH3084	400	420	620	150	5	3150	6500	450	560	186	196	34	Tr450×5	0.24	2.3	4.2	2.8	189	29
24084K30	AH24084	400	420	620	200	5	3740	8800	380	480	230	252	30	Tr440×5	0.3	2.2	3.4	2.2	205	29
23184CK	AH3184	400	420	700	224	6	4600	9000	400	500	266	276	40	Tr460×5	0.33	1.7	3	2	409	46
24184K30	AH24184	400	420	700	280	6	6100	12500	360	450	310	332	30	Tr470×5	0.4	1.8	2.5	1.6	483	40.3
23284K.MB	AH3284	400	420	760	272	7.5	6550	11717	360	480	321	331	46	Tr460×5	0.38	2.8	2.6	1.7	612	58.9

带退卸套系列

23088K.MB	AHX3088	420	440	650	157	6	3400	7100	430	530	194	205	35	Tr470×5	0.24	2.3	4.2	2.8	216	32
24088K30	AHX24088	420	440	650	212	6	4080	8800	360	450	242	264	30	Tr460×5	0.3	2	3.4	2.2	240	32
23188CK	AHX3188	420	440	720	226	6	5000	10000	400	500	270	281	42	Tr480×5	0.32	1.7	3.1	2.1	429	49.8
24188K30	AHX24188	420	440	720	280	6	6400	13200	340	430	310	332	30	Tr460×5	0.38	1.8	2.6	1.7	496	42.5
23288K.MB	AHX3288	420	440	790	280	7.5	7100	13400	360	450	330	341	48	Tr480×5	0.37	2.8	2.7	1.8	671	63.8
23092K.MB	AHX3092	440	460	680	163	6	3650	7650	400	500	202	213	37	Tr490×5	0.24	2.3	4.2	2.8	245	35.2
23192CK	AHX3192	440	460	760	240	7.5	5760	11025	360	450	285	296	43	Tr510×6	0.32	2.1	3.2	2.1	510	57.9
24192K30	AH24192	440	460	760	300	7.5	7250	14600	280	380	332	355	32	Tr480×5	0.37	1.8	2.7	1.8	550	50
23292K.MB	AHX3292	440	460	830	296	7.5	7560	13970	340	430	249	360	50	Tr510×6	0.37	1.8	2.7	1.8	795	74.5
23096K.MB	AHX3096	460	480	700	165	6	3800	8150	380	480	205	217	38	Tr520×6	0.23	2.9	4.3	2.8	259	39.2
23196CK	AHX3196	460	480	790	248	7.5	5800	11800	360	450	295	307	45	Tr530×6	0.32	2.1	3.2	2.1	567	63.1
24196K30	AH24196	460	480	790	308	7.5	7250	15000	280	360	340	363	32	Tr500×5	0.37	1.8	2.7	1.8	595	51.5
23296K.MB	AHX3296	460	480	870	310	7.5	8800	17000	340	430	364	376	52	Tr530×6	0.37	1.8	2.7	1.8	914	82.1
239/500K.MB	AH39/500	480	500	670	128	5	2500	6090	380	380	162	172	32	Tr520×6	0.17	3.9	5.8	3.8	161	28
230/500K.MB	AHX30/500	480	500	720	167	6	3900	8500	380	380	209	221	40	Tr540×6	0.22	3	4.5	2.9	272	42.5
231/500K.MB	AHX31/500	480	500	830	264	7.5	6550	13200	340	340	313	325	47	Tr550×6	0.32	2.1	3.1	2.1	670	70.9
241/500K.MB	AH241/500	480	500	830	325	7.5	8630	17000	260	260	360	383	35	Tr530×6	0.37	1.8	2.7	1.8	735	57
232/500K30	AHX32/500	480	500	920	336	7.5	9650	18300	320	320	393	405	54	Tr550×6	0.38	1.8	2.7	1.7	1105	94.6
239/530K.MB	AH39/530	500	530	710	136	5	2850	6755	360	360	175	185	37	Tr550×6	0.18	3.9	5.7	3.8	202	43.4
230/530K.MB	AH30/530	500	530	780	185	6	4400	9500	340	340	230	242	45	Tr560×6	0.22	3	4.5	3	372	61.9
241/530K30	AH241/530	500	530	870	335	7.5	8650	18400	240	320	370	394	35	Tr550×6	0.37	1.8	2.7	1.8	820	86
239/560K.MB	AH39/560	530	560	750	140	5	3100	7350	340	430	180	190	37	Tr580×6	0.17	4	5.9	3.9	230	47.4
230/560K.MB	AH30/560	530	560	820	195	6	5100	11000	320	400	240	252	45	Tr590×6	0.23	2.9	4.4	2.9	427	68.6
241/560K30	AH241/560	530	560	920	355	7.5	10500	21600	120	160	393	417	38	Tr580×6	0.35	1.9	2.9	1.8	970	97
239/600K.MB	AH39/600	560	600	800	150	5	3450	8650	320	400	192	202	38	Tr625×6	0.17	4	5.9	3.9	277	56.1
230/600K.MB	AH30/600	560	600	870	200	6	5700	12500	300	380	245	259	45	Tr630×6	0.22	3.1	4.6	3	481	75.4
241/600K30	AH241/600	560	600	980	375	7.5	10700	22800	220	280	413	439	38	Tr630×6	0.35	1.9	2.9	1.8	1180	120
239/630K.MB	AH39/630	600	630	850	165	6	4050	3800	300	380	210	232	40	Tr655×6	0.18	3.8	5.7	3.7	344	62.8
230/630K.MB	AH30/630	600	630	920	212	7.5	6300	14000	260	340	258	272	46	Tr670×6	0.22	3	4.5	2.9	576	87.7
241/630K30	AH241/630	600	630	1030	400	7.5	12700	27000	100	140	440	466	40	Tr650×6	0.37	1.8	2.7	1.8	1380	130
239/670K.MB	AH39/670	630	670	900	170	6	4300	10600	280	360	216	228	41	Tr695×6	0.17	4	5.9	3.9	412	85.5
230/670K.MB	AH30/670	630	670	980	230	7.5	7200	16000	260	340	280	294	50	Tr710×7	0.22	3	4.5	2.9	726	124
239/710K.MB	AH39/710	670	710	950	180	6	4800	12000	260	340	228	240	43	Tr740×7	0.18	3.8	5.7	3.8	488	102
230/710K.MB	AH30/710	670	710	1030	236	7.5	7650	17000	260	340	286	302	50	Tr750×7	0.22	3.1	4.6	3	803	135
239/750K.MB	AH39/750	710	750	1000	185	6	5200	12900	260	340	234	246	44	Tr780×7	0.17	4	5.9	3.9	548	111
239/800K.MB	AH39/800	750	800	1060	195	6	5850	15000	240	320	245	257	45	Tr830×7	0.17	4.1	5.9	4	653	147
230/800K.MB	AH30/800	750	800	1150	258	7.5	9300	21200	220	300	308	326	50	Tr850×7	0.22	3.1	6	3	1106	200
239/900K.MB	AH39/900	850	900	1180	206	6	6550	17120	200	280	365	277	51	Tr930×8	0.16	4.3	6.4	4.2	605	182
230/900K.MB	AH30/900	850	900	1280	280	7.5	1100	26500	200	280	335	355	55	Tr950×8	0.22	3.1	4.7	3.1	1210	248
239/950K.MB	AH39/950	900	950	1250	224	7.5	7500	20000	190	260	282	297	50	Tr980×8	0.16	4.2	6.3	4.1	776	206