




| 型号      |       | 轴         | 外形尺寸 |     |    |                 | 额定负荷 |      | 极限速度 |       | 尺寸 |    |    | 计算系数 |     |     |     | 重量[kg] |       |
|---------|-------|-----------|------|-----|----|-----------------|------|------|------|-------|----|----|----|------|-----|-----|-----|--------|-------|
| 轴承      | 紧定衬套  | $\phi d1$ | d    | D   | B  | $r1, r2$<br>min | 动负荷  | 静负荷  | 脂润滑  | 油润滑   | B1 | B2 | D1 | e    | Y1  | Y2  | Yo  | 轴承     | 紧定衬套  |
| 22205CK | H305  | 20        | 25   | 52  | 18 | 1               | 43   | 46   | 7500 | 10000 | 9  | 29 | 38 | 0.35 | 1.9 | 2.9 | 1.8 | 0.18   | 0.071 |
| 22206CK | H306  | 25        | 30   | 62  | 20 | 1               | 59   | 62   | 6300 | 8500  | 9  | 31 | 45 | 0.36 | 1.9 | 2.8 | 1.9 | 0.38   | 0.095 |
| 22207CK | H307  | 30        | 35   | 72  | 23 | 1.1             | 81   | 88   | 5300 | 7000  | 10 | 35 | 52 | 0.36 | 1.9 | 2.8 | 1.9 | 0.41   | 0.14  |
| 23107CK | H307  | 30        | 35   | 80  | 21 | 1.5             | 71   | 73.5 | 5300 | 6700  | 10 | 35 | 52 | 0.26 | 2.6 | 3.8 | 2.5 | 0.5    | 0.14  |
| 22208CK | H308  | 35        | 40   | 80  | 23 | 1.1             | 88   | 98   | 4800 | 6300  | 11 | 36 | 58 | 0.31 | 2.2 | 3.2 | 2.1 | 0.49   | 0.17  |
| 21308CK | H308  | 35        | 40   | 90  | 23 | 1.5             | 99   | 120  | 4500 | 6000  | 11 | 36 | 58 | 0.26 | 2.6 | 3.9 | 2.6 | 0.7    | 0.17  |
| 22308CK | H2308 | 35        | 40   | 90  | 33 | 1.5             | 140  | 145  | 4300 | 5600  | 11 | 46 | 58 | 0.4  | 1.6 | 2.5 | 2   | 1.1    | 0.22  |
| 22209CK | H309  | 40        | 45   | 85  | 23 | 1.1             | 93   | 105  | 4500 | 6000  | 12 | 39 | 65 | 0.3  | 2.3 | 3.4 | 2.2 | 0.54   | 0.23  |
| 21309CK | H309  | 40        | 45   | 100 | 25 | 1.5             | 120  | 135  | 4000 | 5300  | 12 | 39 | 65 | 0.26 | 2.6 | 3.9 | 2.6 | 0.95   | 0.23  |
| 22309ck | H2309 | 40        | 45   | 100 | 36 | 1.5             | 165  | 190  | 3800 | 5000  | 12 | 50 | 65 | 0.4  | 1.7 | 2.5 | 1.6 | 1.36   | 0.27  |
| 22210CK | H310  | 45        | 50   | 90  | 23 | 1.1             | 100  | 120  | 4000 | 5300  | 13 | 42 | 70 | 0.26 | 2.6 | 3.4 | 2.5 | 0.61   | 0.27  |
| 21310CK | H310  | 45        | 50   | 110 | 27 | 2               | 120  | 130  | 3600 | 4800  | 13 | 42 | 70 | 0.24 | 2.8 | 4.1 | 2.7 | 1.25   | 0.27  |
| 22310CK | H2310 | 45        | 50   | 110 | 40 | 2               | 190  | 220  | 4000 | 4500  | 13 | 55 | 70 | 0.4  | 1.7 | 2.5 | 1.6 | 1.82   | 0.34  |
| 22211CK | H311  | 50        | 55   | 100 | 25 | 1.5             | 120  | 140  | 3800 | 5000  | 14 | 45 | 75 | 0.26 | 2.5 | 3.9 | 2.5 | 0.8    | 0.32  |
| 21311CK | H311  | 50        | 55   | 120 | 29 | 2               | 135  | 155  | 3200 | 4300  | 14 | 45 | 75 | 0.24 | 2.8 | 4.1 | 2.7 | 1.65   | 0.32  |
| 22311CK | H2311 | 50        | 55   | 120 | 43 | 2               | 230  | 265  | 3000 | 4000  | 14 | 59 | 75 | 0.4  | 1.7 | 2.5 | 1.6 | 2.31   | 0.39  |
| 22212CK | H312  | 55        | 60   | 110 | 28 | 1.5             | 145  | 175  | 3400 | 4500  | 14 | 47 | 80 | 0.27 | 2.5 | 3.8 | 2.4 | 1.06   | 0.36  |
| 21312CK | H312  | 55        | 60   | 130 | 31 | 2.1             | 150  | 180  | 3000 | 4000  | 14 | 47 | 80 | 0.24 | 2.9 | 4.3 | 2.8 | 1.95   | 0.36  |
| 22312CK | H2312 | 55        | 60   | 130 | 46 | 2.1             | 270  | 320  | 2800 | 3800  | 14 | 62 | 80 | 0.4  | 1.7 | 2.5 | 1.7 | 2.93   | 0.45  |
| 22213CK | H313  | 60        | 65   | 120 | 31 | 1.5             | 180  | 220  | 3000 | 4000  | 15 | 50 | 85 | 0.28 | 2.4 | 3.7 | 2.4 | 1.44   | 0.42  |
| 21313CK | H313  | 60        | 65   | 140 | 33 | 2.1             | 196  | 228  | 2800 | 3800  | 15 | 50 | 85 | 0.24 | 2.8 | 4.2 | 2.8 | 2.45   | 0.42  |
| 22313CK | H2313 | 60        | 65   | 140 | 48 | 2.1             | 305  | 360  | 2800 | 3600  | 15 | 65 | 85 | 0.39 | 1.7 | 2.6 | 1.7 | 3.54   | 0.52  |
| 22214CK | H314  | 60        | 70   | 125 | 31 | 1.5             | 180  | 225  | 2800 | 3800  | 15 | 52 | 92 | 0.26 | 2.6 | 3.6 | 2.6 | 1.52   | 0.67  |
| 21314CK | H314  | 60        | 70   | 150 | 35 | 2.1             | 250  | 310  | 2600 | 3400  | 15 | 52 | 92 | 0.23 | 2.9 | 4.4 | 2.9 | 3.1    | 0.67  |
| 22314CK | H2314 | 60        | 70   | 150 | 51 | 2.1             | 325  | 375  | 2400 | 3200  | 15 | 68 | 92 | 0.38 | 1.8 | 2.6 | 1.7 | 4.19   | 0.88  |
| 22215CK | H315  | 65        | 75   | 130 | 31 | 1.5             | 190  | 250  | 2800 | 3800  | 16 | 55 | 98 | 0.24 | 2.8 | 3.9 | 2.7 | 1.61   | 0.78  |

## 带紧定套系列

|           |       |     |     |     |      |     |      |      |      |      |    |     |     |       |     |     |     |      |      |
|-----------|-------|-----|-----|-----|------|-----|------|------|------|------|----|-----|-----|-------|-----|-----|-----|------|------|
| 21315CK   | H315  | 65  | 75  | 160 | 37   | 2.1 | 280  | 360  | 2400 | 3200 | 16 | 55  | 98  | 0.23  | 2.9 | 4.4 | 2.9 | 3.55 | 0.78 |
| 22315CK   | H2315 | 65  | 75  | 160 | 55   | 2.1 | 375  | 440  | 2200 | 3000 | 16 | 73  | 98  | 0.38  | 1.9 | 2.6 | 1.7 | 5.21 | 1.1  |
| 22216CK   | H316  | 70  | 80  | 140 | 33   | 2   | 210  | 275  | 2600 | 3400 | 18 | 59  | 59  | 0.25  | 2.6 | 4.1 | 2.6 | 1.97 | 0.95 |
| 21316CK   | H316  | 70  | 80  | 170 | 39   | 2.1 | 275  | 340  | 2200 | 3000 | 18 | 59  | 59  | 0.23  | 2.9 | 4.4 | 2.9 | 4.25 | 0.95 |
| 222316CK  | H2316 | 70  | 80  | 170 | 58   | 2.1 | 410  | 500  | 1800 | 2400 | 18 | 78  | 105 | 0.35  | 1.9 | 0.9 | 1.8 | 6.2  | 1.2  |
| 22217CK   | H317  | 75  | 85  | 150 | 36   | 2   | 250  | 325  | 2400 | 3200 | 19 | 63  | 110 | 0.216 | 2.6 | 4   | 0.6 | 2.47 | 1.1  |
| 21317CK   | H317  | 75  | 85  | 180 | 41   | 3   | 350  | 150  | 2200 | 2800 | 19 | 63  | 110 | 0.22  | 3   | 4.5 | 2.9 | 5.1  | 1.1  |
| 22317CK   | H2317 | 75  | 85  | 180 | 60   | 3   | 500  | 620  | 1800 | 2400 | 19 | 82  | 110 | 0.33  | 2   | 3   | 2   | 7.1  | 1.35 |
| 22218CK   | H318  | 80  | 90  | 160 | 40   | 2   | 305  | 410  | 2200 | 3000 | 19 | 65  | 120 | 0.27  | 2.5 | 3.9 | 2.5 | 3.18 | 1.3  |
| 23218CK   | H2318 | 80  | 90  | 160 | 52   | 2   | 340  | 485  | 1500 | 2000 | 19 | 86  | 120 | 0.34  | 2   | 3   | 2   | 4.6  | 1.6  |
| 21318CK   | H318  | 80  | 90  | 190 | 43   | 3   | 335  | 415  | 2200 | 2800 | 19 | 65  | 120 | 0.22  | 3   | 4.5 | 2.9 | 5.8  | 1.3  |
| 22318CK   | H2318 | 80  | 90  | 190 | 64   | 3   | 510  | 620  | 1800 | 2400 | 19 | 86  | 120 | 0.36  | 1.9 | 2.8 | 1.8 | 8.44 | 1.6  |
| 22219CK   | H319  | 85  | 95  | 170 | 43   | 2.1 | 340  | 450  | 2200 | 2800 | 20 | 68  | 125 | 0.24  | 2.8 | 3.8 | 2.8 | 3.86 | 1.4  |
| 21319CK   | H319  | 85  | 95  | 200 | 45   | 3   | 360  | 450  | 2000 | 2600 | 20 | 68  | 125 | 0.22  | 3   | 4.5 | 3   | 7.43 | 1.4  |
| 22319CK   | H2319 | 85  | 95  | 200 | 67   | 3   | 580  | 700  | 1700 | 2200 | 20 | 90  | 125 | 0.35  | 1.9 | 2.9 | 1.8 | 9.77 | 1.8  |
| 23120K.MB | H3120 | 90  | 100 | 165 | 52   | 2   | 355  | 540  | 2000 | 3000 | 21 | 76  | 130 | 0.31  | 2.2 | 3.2 | 2.1 | 4.5  | 1.8  |
| 22220CK   | H320  | 90  | 100 | 180 | 46   | 2.1 | 375  | 500  | 2200 | 2800 | 21 | 71  | 130 | 0.24  | 2.8 | 4.2 | 2.8 | 4.69 | 1.6  |
| 23220CK   | H2320 | 90  | 100 | 180 | 60.3 | 2.1 | 495  | 720  | 1700 | 2200 | 21 | 97  | 130 | 0.33  | 2   | 3   | 2   | 7.34 | 2    |
| 22320CK   | H2320 | 90  | 100 | 215 | 73   | 3   | 730  | 960  | 1500 | 2000 | 21 | 97  | 130 | 0.33  | 2   | 3   | 2   | 12.6 | 2    |
| 23022CK   | H322  | 100 | 110 | 170 | 45   | 2   | 335  | 510  | 2200 | 3000 | 21 | 77  | 145 | 0.23  | 2.9 | 4.3 | 2.8 | 3.54 | 2.05 |
| 23122K.MB | H3122 | 100 | 110 | 180 | 56   | 2   | 410  | 640  | 1800 | 2400 | 21 | 81  | 145 | 0.3   | 2.3 | 3.3 | 2.2 | 5.5  | 2.1  |
| 22222CK   | H322  | 100 | 110 | 200 | 53   | 2.1 | 455  | 580  | 2000 | 2800 | 21 | 77  | 145 | 0.25  | 2.7 | 4.2 | 2.5 | 6.7  | 2.05 |
| 23222CK   | H2322 | 100 | 110 | 200 | 69.8 | 2.1 | 620  | 850  | 1400 | 1800 | 21 | 105 | 145 | 0.33  | 2   | 3   | 2   | 10.8 | 2.75 |
| 22322K.MB | H2322 | 100 | 110 | 240 | 80   | 3   | 800  | 1060 | 1400 | 1900 | 21 | 105 | 145 | 0.37  | 1.8 | 2.7 | 1.8 | 17.5 | 2.75 |
| 23024CK   | H3024 | 110 | 120 | 180 | 46   | 2   | 360  | 570  | 2200 | 3000 | 22 | 72  | 145 | 0.22  | 3   | 4.5 | 3   | 3.86 | 1.8  |
| 23124K.MB | H3124 | 110 | 120 | 200 | 62   | 2   | 495  | 770  | 1700 | 2200 | 22 | 88  | 155 | 0.31  | 2.2 | 3.3 | 2.2 | 7.6  | 2.5  |
| 22224CK   | H3124 | 110 | 120 | 215 | 58   | 2.1 | 560  | 800  | 1700 | 2200 | 22 | 88  | 155 | 0.29  | 2.3 | 4   | 2.3 | 8.44 | 2.5  |
| 23224CK   | H2324 | 110 | 120 | 215 | 76   | 2.1 | 730  | 1120 | 1300 | 1700 | 22 | 112 | 155 | 0.35  | 1.9 | 2.9 | 1.8 | 13.1 | 3    |
| 22324K.MB | H2324 | 110 | 120 | 260 | 86   | 3   | 900  | 1400 | 1300 | 1700 | 22 | 112 | 155 | 0.36  | 1.8 | 2.7 | 1.8 | 21.9 | 3    |
| 23026CK   | H3026 | 115 | 130 | 200 | 52   | 2   | 455  | 720  | 1900 | 2600 | 23 | 80  | 155 | 0.23  | 2.9 | 4.4 | 2.9 | 5.61 | 2.8  |
| 23126K.MB | H3126 | 115 | 130 | 210 | 64   | 2   | 540  | 860  | 1500 | 2000 | 23 | 92  | 165 | 0.3   | 2.3 | 3.3 | 2.2 | 8.5  | 3.45 |
| 22226CK   | H3126 | 115 | 130 | 230 | 64   | 3   | 660  | 960  | 1700 | 2200 | 23 | 92  | 165 | 0.29  | 2.3 | 3.5 | 2.3 | 10.5 | 3.45 |
| 23226CK   | H2326 | 115 | 130 | 230 | 80   | 3   | 830  | 1270 | 1300 | 1700 | 23 | 121 | 165 | 0.33  | 2   | 3   | 2   | 15.8 | 4.45 |
| 22326K.MB | H2326 | 115 | 130 | 230 | 93   | 4   | 1040 | 1340 | 1200 | 1600 | 23 | 121 | 165 | 0.37  | 1.8 | 2.7 | 1.8 | 27.1 | 4.45 |
| 23028CK   | H3028 | 125 | 140 | 210 | 53   | 2   | 480  | 780  | 1900 | 2600 | 24 | 82  | 165 | 0.22  | 3.1 | 4.6 | 3   | 6.04 | 3.05 |
| 23128K.MB | H3128 | 125 | 140 | 225 | 68   | 2.1 | 600  | 990  | 1400 | 1800 | 24 | 97  | 180 | 0.3   | 2.3 | 3.3 | 2.2 | 10.5 | 4.1  |
| 22228CK   | H3128 | 125 | 140 | 250 | 68   | 3   | 7300 | 1080 | 1400 | 1900 | 24 | 97  | 180 | 0.26  | 2.6 | 3.5 | 2.5 | 13.4 | 4.1  |
| 23228CK   | H2328 | 125 | 140 | 250 | 88   | 3   | 915  | 1370 | 1250 | 1400 | 24 | 131 | 180 | 0.33  | 2   | 3   | 2   | 20.8 | 5.4  |
| 22328K.MB | H2328 | 125 | 140 | 300 | 102  | 4   | 1220 | 1600 | 1100 | 1400 | 24 | 131 | 180 | 0.38  | 1.7 | 2.6 | 1.7 | 34.1 | 5.4  |
| 23030CK   | H3030 | 135 | 150 | 225 | 56   | 2.1 | 530  | 865  | 1800 | 2400 | 26 | 87  | 180 | 0.22  | 3.1 | 4.6 | 3   | 7.33 | 3.75 |
| 23130K.MB | H3130 | 135 | 150 | 250 | 80   | 2.1 | 800  | 1320 | 1300 | 1700 | 26 | 111 | 195 | 0.32  | 2.1 | 3.2 | 2.1 | 16.3 | 5.25 |
| 22230CK   | H3130 | 135 | 150 | 270 | 73   | 3   | 880  | 1300 | 1400 | 1800 | 26 | 111 | 195 | 0.26  | 2.6 | 3.9 | 2.5 | 16.9 | 5.25 |
| 23230CK   | H2330 | 135 | 150 | 270 | 96   | 3   | 1030 | 1610 | 1000 | 1300 | 26 | 139 | 195 | 0.38  | 1.8 | 2.7 | 1.7 | 24.5 | 6.4  |
| 22330K.MB | H2330 | 135 | 150 | 320 | 108  | 4   | 1370 | 1830 | 1100 | 1500 | 26 | 139 | 195 | 0.38  | 1.7 | 2.6 | 1.7 | 40.9 | 6.4  |
| 23032CK   | H3032 | 140 | 160 | 240 | 60   | 2.1 | 600  | 1000 | 1600 | 2000 | 28 | 93  | 190 | 0.22  | 3.1 | 4.6 | 3   | 8.9  | 5.1  |

## 带紧定套系列

|           |         |     |     |     |     |     |      |      |      |      |    |     |     |      |     |     |     |       |      |
|-----------|---------|-----|-----|-----|-----|-----|------|------|------|------|----|-----|-----|------|-----|-----|-----|-------|------|
| 23132K.MB | H3132   | 140 | 160 | 270 | 86  | 2.1 | 930  | 1510 | 1200 | 1600 | 28 | 119 | 210 | 0.32 | 2.1 | 3.2 | 2.1 | 20.5  | 7.25 |
| 22232CK   | H3132   | 140 | 160 | 290 | 80  | 3   | 965  | 1370 | 1300 | 1700 | 28 | 119 | 210 | 0.26 | 2.6 | 3.9 | 2.5 | 21.7  | 7.25 |
| 23232CK   | H2332   | 140 | 160 | 290 | 104 | 2   | 1180 | 1830 | 1200 | 1600 | 28 | 147 | 210 | 0.38 | 1.8 | 2.7 | 1.7 | 31.7  | 8.8  |
| 22332K.MB | H2332   | 140 | 160 | 340 | 114 | 4   | 1430 | 1900 | 1000 | 1300 | 28 | 147 | 210 | 0.37 | 1.8 | 2.7 | 1.8 | 51.1  | 8.8  |
| 23034CK   | H3034   | 150 | 170 | 260 | 67  | 2.1 | 735  | 1200 | 1500 | 1900 | 29 | 101 | 200 | 0.23 | 3   | 4.4 | 2.9 | 12.1  | 5.8  |
| 23134K.MB | H3134   | 150 | 170 | 280 | 88  | 2.1 | 990  | 1650 | 1100 | 1500 | 29 | 122 | 220 | 0.31 | 2.2 | 3.2 | 2.1 | 22    | 8.1  |
| 22234CK   | H3134   | 150 | 170 | 310 | 86  | 4   | 1170 | 1750 | 1200 | 1600 | 29 | 122 | 220 | 0.27 | 2.5 | 3.9 | 2.5 | 26.2  | 8.1  |
| 23234CK   | H2334   | 150 | 170 | 310 | 110 | 4   | 1370 | 2120 | 900  | 1200 | 29 | 154 | 220 | 0.35 | 1.9 | 2.9 | 1.8 | 35.7  | 9.9  |
| 22334K.MB | H2334   | 150 | 170 | 360 | 120 | 4   | 1600 | 2120 | 900  | 1200 | 29 | 154 | 220 | 0.37 | 1.8 | 2.7 | 1.8 | 59.7  | 9.9  |
| 23036CK   | H3036   | 160 | 180 | 280 | 74  | 2.1 | 865  | 1430 | 1400 | 1800 | 30 | 109 | 210 | 0.23 | 2.9 | 4.3 | 2.8 | 18.5  | 6.7  |
| 23136CK   | H3136   | 160 | 180 | 300 | 96  | 3   | 1160 | 1940 | 1100 | 1400 | 30 | 131 | 230 | 0.32 | 2.1 | 3.1 | 2.1 | 28.4  | 9.15 |
| 22236CK   | H3136   | 160 | 180 | 320 | 86  | 4   | 1210 | 1870 | 1100 | 1500 | 30 | 131 | 230 | 0.26 | 2.6 | 3.7 | 2.5 | 27.5  | 9.15 |
| 23236CK   | H2336   | 160 | 180 | 320 | 112 | 4   | 1420 | 2330 | 1000 | 1400 | 30 | 161 | 230 | 0.36 | 1.9 | 2.8 | 1.8 | 40.8  | 11   |
| 22336K.MB | H2336   | 160 | 180 | 380 | 126 | 4   | 1760 | 2360 | 850  | 1100 | 30 | 161 | 230 | 0.37 | 1.8 | 2.7 | 1.8 | 69.4  | 11   |
| 23038CK   | H3038   | 170 | 190 | 290 | 75  | 2.1 | 915  | 1530 | 1300 | 1700 | 31 | 112 | 220 | 0.23 | 3   | 4.4 | 2.9 | 16.08 | 7.25 |
| 23138K.MB | H3138   | 170 | 190 | 320 | 104 | 3   | 1320 | 2290 | 1000 | 1400 | 31 | 141 | 240 | 0.33 | 2   | 3   | 2   | 35.6  | 10.5 |
| 22238CK   | H3138   | 170 | 190 | 340 | 92  | 4   | 1200 | 1830 | 1100 | 1400 | 31 | 141 | 240 | 0.26 | 2.6 | 3.9 | 2.5 | 37.2  | 10.5 |
| 23238CK   | H2338   | 170 | 190 | 340 | 120 | 4   | 1750 | 2880 | 850  | 1100 | 31 | 169 | 240 | 0.35 | 1.9 | 2.9 | 1.8 | 52.4  | 12   |
| 22338K.MB | H2338   | 170 | 190 | 400 | 132 | 5   | 1860 | 2500 | 750  | 1000 | 31 | 169 | 240 | 0.37 | 1.8 | 2.7 | 1.8 | 81.2  | 12   |
| 23040CK   | H3040   | 180 | 200 | 310 | 82  | 2.1 | 1060 | 1760 | 1300 | 1700 | 32 | 120 | 240 | 0.23 | 2.9 | 4.3 | 2.8 | 21.5  | 8.9  |
| 23140K.MB | H3410   | 180 | 200 | 340 | 112 | 3   | 1370 | 2460 | 1100 | 1400 | 32 | 150 | 250 | 0.35 | 1.9 | 2.9 | 1.9 | 43.5  | 12   |
| 22240CK   | H3410   | 180 | 200 | 360 | 98  | 4   | 1250 | 2020 | 1100 | 1400 | 32 | 150 | 250 | 0.29 | 2.3 | 3.9 | 2.3 | 44.4  | 12   |
| 22340CK   | H2340   | 180 | 200 | 360 | 128 | 4   | 1620 | 2590 | 750  | 1000 | 32 | 176 | 250 | 0.35 | 1.9 | 2.9 | 1.8 | 58.4  | 13.5 |
| 22340K.MB | H2340   | 180 | 200 | 420 | 138 | 5   | 1910 | 2750 | 670  | 900  | 32 | 176 | 250 | 0.36 | 1.8 | 2.8 | 1.8 | 91.8  | 13.5 |
| 23044K.MB | OH3044H | 200 | 220 | 340 | 90  | 3   | 1100 | 2000 | 900  | 1200 | 30 | 126 | 260 | 0.26 | 2.6 | 3.8 | 2.5 | 31    | 9.9  |
| 23144K.MB | OH3144H | 200 | 220 | 370 | 120 | 4   | 1515 | 2509 | 1000 | 1300 | 35 | 161 | 280 | 0.3  | 2.3 | 3.4 | 2.2 | 52    | 15   |
| 22244CK   | OH3144H | 200 | 220 | 400 | 108 | 4   | 1545 | 2300 | 900  | 1200 | 35 | 161 | 280 | 0.29 | 2.3 | 3.4 | 2.3 | 61.4  | 15   |
| 23244CK   | OH2344H | 200 | 220 | 400 | 144 | 4   | 2065 | 3380 | 6700 | 900  | 35 | 186 | 280 | 0.35 | 1.9 | 2.9 | 1.8 | 79.5  | 17   |
| 22344CK   | OH2344H | 200 | 220 | 460 | 145 | 5   | 2380 | 3407 | 700  | 950  | 35 | 186 | 280 | 0.36 | 1.8 | 2.8 | 1.8 | 120   | 17   |
| 23048K.MB | OH3048H | 220 | 240 | 360 | 92  | 3   | 1160 | 2200 | 800  | 1000 | 34 | 133 | 290 | 0.25 | 2.7 | 4.1 | 2.7 | 33.9  | 12   |
| 23148K.MB | OH3148H | 220 | 240 | 400 | 128 | 4   | 1705 | 2863 | 900  | 1200 | 37 | 172 | 300 | 0.3  | 2.3 | 3.4 | 2.2 | 66    | 16   |
| 22248CK   | OH3148H | 220 | 240 | 440 | 120 | 4   | 1845 | 2763 | 850  | 1100 | 37 | 172 | 300 | 0.29 | 2.3 | 3.4 | 2.3 | 83.2  | 16   |
| 23248CK   | OH2348H | 220 | 240 | 440 | 160 | 4   | 2530 | 4600 | 630  | 850  | 37 | 199 | 300 | 0.35 | 1.9 | 2.9 | 1.8 | 109   | 19   |
| 22348K.MB | OH2348H | 220 | 240 | 500 | 155 | 5   | 2650 | 4000 | 560  | 750  | 37 | 199 | 300 | 0.31 | 2.2 | 3.3 | 2.2 | 151   | 19   |
| 23052K.MB | OH3052H | 240 | 260 | 400 | 104 | 4   | 1500 | 2800 | 750  | 950  | 34 | 145 | 310 | 0.26 | 2.6 | 3.9 | 2.6 | 49    | 13.5 |
| 23152K.MB | OH3152H | 240 | 260 | 440 | 144 | 4   | 2153 | 3673 | 700  | 850  | 38 | 190 | 330 | 0.31 | 2.2 | 3.3 | 2.2 | 92.5  | 21   |
| 22252K.MB | OH3152H | 240 | 260 | 480 | 130 | 5   | 2190 | 3300 | 750  | 1000 | 38 | 190 | 330 | 0.29 | 2.3 | 3.4 | 2.3 | 107   | 21   |
| 22352CK   | OH2352H | 240 | 260 | 540 | 165 | 6   | 3125 | 4560 | 600  | 800  | 38 | 211 | 330 | 0.36 | 1.8 | 2.8 | 1.8 | 187   | 21   |
| 23056K.MB | OH3056H | 260 | 280 | 420 | 106 | 4   | 1560 | 3000 | 700  | 900  | 38 | 152 | 330 | 0.25 | 2.7 | 4.4 | 2.7 | 52.5  | 16   |
| 23156K.MB | OH3156H | 260 | 280 | 460 | 146 | 5   | 2295 | 4050 | 750  | 1000 | 39 | 195 | 350 | 0.3  | 2.3 | 3.4 | 2.2 | 98.5  | 23   |
| 22256K.MB | OH3156H | 260 | 280 | 500 | 130 | 5   | 2330 | 3600 | 700  | 950  | 39 | 195 | 350 | 0.29 | 2.3 | 3.4 | 2.3 | 113   | 23   |
| 23256K.MB | OH2356H | 260 | 280 | 500 | 176 | 5   | 2806 | 4645 | 480  | 630  | 39 | 224 | 350 | 0.35 | 1.9 | 2.9 | 1.8 | 153   | 27   |
| 22356CK   | OH2356H | 260 | 280 | 580 | 175 | 6   | 3530 | 5208 | 560  | 750  | 39 | 224 | 350 | 0.36 | 1.8 | 2.8 | 1.8 | 235   | 27   |
| 23060K.MB | OH3060H | 280 | 300 | 460 | 118 | 4   | 1960 | 3650 | 630  | 800  | 42 | 168 | 360 | 0.25 | 2.7 | 4   | 2.6 | 73.6  | 20.5 |
| 23160K.MB | OH3160H | 280 | 300 | 500 | 160 | 5   | 2635 | 4485 | 700  | 950  | 40 | 208 | 380 | 0.3  | 2.3 | 3.4 | 2.2 | 129   | 29   |

## 带紧定套系列

|             |           |     |     |      |     |     |      |       |     |     |    |     |     |      |     |     |     |      |      |
|-------------|-----------|-----|-----|------|-----|-----|------|-------|-----|-----|----|-----|-----|------|-----|-----|-----|------|------|
| 22260K.MB   | OH3160H   | 280 | 300 | 540  | 140 | 5   | 2670 | 4176  | 670 | 900 | 40 | 208 | 380 | 0.29 | 2.3 | 3.4 | 2.3 | 142  | 29   |
| 23064K.MB   | OH3064H   | 300 | 320 | 480  | 121 | 4   | 2040 | 4000  | 600 | 750 | 42 | 171 | 380 | 0.25 | 2.7 | 4.1 | 2.7 | 79.5 | 22   |
| 23164K.MB   | OH3164H   | 300 | 320 | 540  | 176 | 5   | 3115 | 6000  | 530 | 670 | 42 | 226 | 400 | 0.34 | 2   | 3   | 1.9 | 172  | 32   |
| 22264K.MB   | OH3164H   | 300 | 320 | 580  | 150 | 5   | 3150 | 5100  | 630 | 580 | 42 | 226 | 400 | 0.29 | 2.5 | 3.7 | 2.5 | 180  | 32   |
| 23264K.MB   | OH3264H   | 300 | 320 | 580  | 208 | 5   | 4130 | 7026  | 430 | 560 | 42 | 258 | 400 | 0.35 | 1.9 | 2.9 | 1.8 | 247  | 35   |
| 23068K.MB   | OH3068H   | 320 | 340 | 520  | 133 | 5   | 2360 | 4500  | 560 | 700 | 45 | 187 | 400 | 0.25 | 2.7 | 4   | 2.6 | 105  | 27   |
| 23168K.MB   | OH3168H   | 320 | 340 | 580  | 190 | 5   | 3605 | 6409  | 630 | 850 | 55 | 254 | 400 | 0.31 | 2.2 | 3.2 | 2.2 | 212  | 50   |
| 23072K.MB   | OH3072H   | 340 | 360 | 540  | 134 | 5   | 2450 | 4800  | 530 | 670 | 45 | 188 | 420 | 0.25 | 2.7 | 4.1 | 2.7 | 111  | 29   |
| 23172K.MB   | OH3172H   | 340 | 360 | 600  | 192 | 5   | 3740 | 7010  | 600 | 800 | 58 | 259 | 460 | 0.33 | 2.3 | 3.4 | 2.2 | 220  | 56   |
| 23272K.MB   | OH3272H   | 340 | 360 | 650  | 232 | 6   | 4880 | 8490  | 430 | 560 | 58 | 299 | 460 | 0.35 | 1.9 | 2.9 | 1.8 | 344  | 60.5 |
| 23076K.MB   | OH3076H   | 360 | 380 | 560  | 135 | 5   | 2550 | 5300  | 500 | 630 | 48 | 193 | 450 | 0.25 | 2.8 | 4.2 | 2.8 | 117  | 35.5 |
| 23176K.MB   | OH3176H   | 360 | 380 | 620  | 194 | 5   | 3740 | 7540  | 560 | 750 | 60 | 264 | 490 | 0.3  | 2.3 | 3.4 | 2.2 | 240  | 61.5 |
| 23276K.MB   | OH3276H   | 360 | 380 | 680  | 240 | 6   | 5050 | 9660  | 400 | 530 | 60 | 310 | 490 | 0.35 | 1.9 | 2.9 | 1.8 | 375  | 69.5 |
| 23080K.MB   | OH3080H   | 380 | 400 | 600  | 148 | 5   | 3050 | 6200  | 450 | 560 | 52 | 210 | 470 | 0.24 | 2.8 | 4.1 | 2.7 | 152  | 40   |
| 23180K.MB   | OH3180H   | 380 | 400 | 650  | 200 | 6   | 4100 | 7730  | 530 | 700 | 62 | 272 | 520 | 0.28 | 2.4 | 3.6 | 2.5 | 265  | 73   |
| 23280K.MB   | OH3280H   | 380 | 400 | 720  | 256 | 6   | 5950 | 10807 | 380 | 500 | 62 | 328 | 520 | 0.35 | 1.9 | 2.9 | 1.8 | 450  | 87   |
| 23084K.MB   | OH3084H   | 400 | 420 | 620  | 150 | 5   | 3150 | 6550  | 450 | 560 | 52 | 212 | 490 | 0.24 | 2.8 | 4.2 | 2.8 | 160  | 47   |
| 23184CK     | OH3184H   | 400 | 420 | 700  | 224 | 6   | 4600 | 9000  | 500 | 670 | 70 | 304 | 540 | 0.33 | 2   | 3   | 2   | 363  | 80   |
| 23284K.MB   | OH3284H   | 400 | 420 | 760  | 272 | 7.5 | 6575 | 11717 | 360 | 480 | 70 | 352 | 540 | 0.35 | 1.9 | 2.9 | 1.8 | 540  | 96   |
| 23088K.MB   | OH3088H   | 410 | 440 | 650  | 157 | 6   | 3400 | 7100  | 430 | 530 | 60 | 228 | 520 | 0.24 | 2.8 | 4.2 | 2.8 | 184  | 65   |
| 23188CK     | OH3188H   | 410 | 440 | 720  | 226 | 6   | 5250 | 10000 | 500 | 670 | 70 | 307 | 560 | 0.3  | 2.3 | 3.4 | 2.2 | 380  | 95   |
| 23288K.MB   | OH3288H   | 410 | 440 | 790  | 280 | 7.5 | 7100 | 13400 | 360 | 480 | 70 | 361 | 560 | 0.35 | 1.9 | 2.9 | 1.8 | 595  | 117  |
| 23092K.MB   | OH3092H   | 430 | 460 | 680  | 163 | 6   | 3650 | 7650  | 400 | 500 | 60 | 234 | 540 | 0.24 | 2.8 | 4.2 | 2.8 | 210  | 71   |
| 23192CK     | OH3192H   | 430 | 460 | 760  | 240 | 7.5 | 5760 | 11025 | 480 | 630 | 75 | 326 | 580 | 0.3  | 2.3 | 3.4 | 2.2 | 441  | 119  |
| 23292K.MB   | OH3292H   | 430 | 460 | 830  | 296 | 7.5 | 7560 | 13970 | 340 | 450 | 75 | 382 | 580 | 0.35 | 1.9 | 2.9 | 1.9 | 715  | 134  |
| 23096K.MB   | OH3096H   | 450 | 480 | 700  | 165 | 6   | 3800 | 8150  | 380 | 480 | 60 | 237 | 560 | 0.23 | 2.9 | 4.3 | 2.8 | 220  | 75   |
| 23196CK     | OH3196H   | 450 | 480 | 790  | 248 | 7.5 | 5800 | 11800 | 450 | 600 | 75 | 335 | 620 | 0.3  | 2.3 | 3.4 | 2.2 | 485  | 135  |
| 23296K.MB   | OH3296H   | 450 | 480 | 870  | 310 | 7.5 | 8800 | 17000 | 340 | 430 | 75 | 397 | 620 | 0.37 | 1.8 | 2.7 | 1.8 | 835  | 153  |
| 239/500K.MB | OH39/500H | 470 | 500 | 670  | 128 | 5   | 2500 | 6090  | 480 | 630 | 68 | 208 | 580 | 0.17 | 3.9 | 5.8 | 3.8 | 130  | 74.3 |
| 230/500K.MB | OH30/500H | 470 | 500 | 720  | 167 | 6   | 3900 | 8500  | 380 | 480 | 68 | 247 | 580 | 0.22 | 3   | 4.5 | 2.9 | 229  | 82   |
| 231/500K.MB | OH31/500H | 470 | 500 | 830  | 264 | 7.5 | 6550 | 13200 | 430 | 560 | 80 | 356 | 630 | 0.3  | 2.3 | 3.4 | 2.2 | 580  | 145  |
| 232/500K.MB | OH32/500H | 470 | 500 | 920  | 336 | 7.5 | 9650 | 18300 | 320 | 400 | 80 | 428 | 630 | 0.38 | 1.8 | 2.7 | 1.7 | 1010 | 170  |
| 239/530K.MB | OH39/530H | 500 | 530 | 710  | 136 | 5   | 2980 | 6755  | 450 | 600 | 68 | 216 | 630 | 0.18 | 3.8 | 5.7 | 3.8 | 150  | 87.9 |
| 230/530K.MB | OH30/530H | 500 | 530 | 780  | 185 | 6   | 4400 | 9500  | 340 | 430 | 68 | 265 | 630 | 0.22 | 3   | 4.5 | 3   | 310  | 105  |
| 239/560K.MB | OH39/560H | 530 | 560 | 750  | 140 | 5.5 | 3100 | 7650  | 340 | 430 | 75 | 227 | 650 | 0.17 | 4   | 5.9 | 3.9 | 183  | 95   |
| 230/560K.MB | OH30/560H | 530 | 560 | 820  | 195 | 6   | 5100 | 11000 | 320 | 400 | 75 | 282 | 650 | 0.23 | 2.9 | 4.4 | 2.9 | 358  | 112  |
| 239/600K.MB | OH39/600H | 560 | 600 | 800  | 150 | 5   | 3450 | 8650  | 320 | 400 | 75 | 239 | 700 | 0.17 | 4   | 5.9 | 3.9 | 221  | 127  |
| 230/600K.MB | OH30/600H | 560 | 600 | 870  | 200 | 6   | 5700 | 12500 | 300 | 380 | 75 | 289 | 700 | 0.22 | 3.1 | 4.6 | 3   | 406  | 147  |
| 239/630K.MB | OH39/630H | 600 | 630 | 850  | 165 | 6   | 4290 | 9910  | 380 | 500 | 75 | 254 | 730 | 0.18 | 3.8 | 5.7 | 3.7 | 280  | 124  |
| 230/630K.MB | OH30/630H | 600 | 630 | 920  | 212 | 7.5 | 6300 | 14000 | 260 | 340 | 75 | 301 | 730 | 0.22 | 3   | 4.5 | 2.9 | 520  | 138  |
| 239/670K.MB | OH39/670H | 630 | 670 | 900  | 170 | 6   | 4300 | 10600 | 280 | 360 | 80 | 264 | 780 | 0.17 | 4   | 5.9 | 3.9 | 326  | 162  |
| 230/670K.MB | OH30/670H | 630 | 670 | 980  | 230 | 7.5 | 7200 | 16000 | 260 | 340 | 80 | 324 | 780 | 0.22 | 3   | 4.5 | 2.9 | 602  | 190  |
| 239/710K.MB | OH39/710H | 670 | 710 | 950  | 180 | 6   | 4800 | 12000 | 260 | 340 | 90 | 286 | 830 | 0.18 | 3.8 | 5.7 | 3.8 | 386  | 183  |
| 230/710K.MB | OH30/710H | 670 | 710 | 1030 | 236 | 7.5 | 7650 | 17000 | 260 | 340 | 90 | 324 | 830 | 0.22 | 3.1 | 4.6 | 3   | 638  | 228  |
| 239/750K.MB | OH39/750H | 710 | 750 | 1000 | 185 | 6   | 5200 | 12900 | 260 | 340 | 90 | 291 | 870 | 0.17 | 4   | 5.9 | 3.9 | 437  | 211  |

带紧定套系列

|             |           |     |     |      |     |     |      |       |     |     |    |     |     |      |     |     |   |     |     |
|-------------|-----------|-----|-----|------|-----|-----|------|-------|-----|-----|----|-----|-----|------|-----|-----|---|-----|-----|
| 239/800K.MB | OH39/800H | 750 | 800 | 1060 | 195 | 6   | 5850 | 15000 | 240 | 320 | 90 | 303 | 920 | 0.17 | 4.1 | 6   | 4 | 506 | 259 |
| 230/800K.MB | OH30/800H | 750 | 800 | 1150 | 258 | 7.5 | 9300 | 21200 | 220 | 300 | 90 | 366 | 920 | 0.22 | 3.1 | 4.6 | 3 | 906 | 302 |